

REPORT OF EXAMINATION  
Routing Slip  
Rev. 12/85

Prairie Ridge

File No.: 62-27015

	<u>Initial</u>	<u>Date</u>
Author	~	3-3-87
Technician	WJ	3-3-87
Typist	Sfox	3-9-87
Proofed By	Sfx & Pae	3-12-87
Checked by Author	~	3-13-87
Checked by Reviewer	WJ	3-14-87
Typist	Sfox	3-17-87
Proofed By	~	3-19-87
Author's Signature	~	5-1-87
Approval and Signature Regional Manager	OKR	5/5/87
Mail Originals and cc's (Typist)	SS	5-5-87
Purge and File (Author)		

Bearing and distance from section or subdivision corner

**(10) WELL LOG:**

ANDREA BEATTY RINIKER  
Director



STATE OF WASHINGTON  
DEPARTMENT OF ECOLOGY

7272 Cleanwater Lane, LU-11 • Olympia, Washington 98504-6811 • (206) 753-2353

May 6, 1987

Prairie Ridge Water Co.  
c/o Robert R. Drohman  
4411 Marvin Road N. E.  
Olympia, Washington 98506

Dear Mr. Drohman:

Ground Water Application No. G 2-27015

Your application has been approved and a permit will be issued in accordance with the enclosed Report of Examination upon payment of the statutory fee of \$20.00. Please make your check payable to the Department of Ecology.

This letter and enclosed Report of Examination constitute our determination and order. Chapter 43.21B RCW provides that any person who feels aggrieved by such an order may submit an appeal to the Pollution Control Hearings Board of Washington, with a copy to the director of the Department of Ecology, within 30 days of receipt of the order. Procedures for requesting a hearing may be obtained from this department.

Please send your permit fee within 30 days from the date of this letter.

Sincerely,

A handwritten signature in cursive script that reads "Clark Haberman".

Clark Haberman  
Regional Manager  
SOUTHWEST REGIONAL OFFICE

CH:sf

Enclosure

S

# Affidavit of Publication

STATE OF WASHINGTON

County of Thurston

ss.

DEPARTMENT OF ECOLOGY  
NOTICE OF APPLICATION TO  
APPROPRIATE PUBLIC WATERS  
TAKE NOTICE:

That Prairie Ridge Water Company  
C/O Robert R. Drohman of Olympia,  
Washington on November 17, 1986  
under Application No. G2-27015  
filed for permit to appropriate pub-  
lic waters, subject to existing  
rights, from two wells in the  
amount of 175 gallons per minute  
year round as needed each year, for  
Community domestic supply. The  
source of the proposed appropria-  
tion is located with NW 1/4 NE 1/4  
of Section 34, Township 19 N.,  
Range 1 W. W.M. in Thurston  
County.

Protest or objections to approval of  
this application must include a de-  
tailed statement of the basis for ob-  
jections; protests must be  
accompanied by a two dollar  
(\$2.00) recording fee and filed with  
the Department of Ecology at the  
address shown below, within thirty  
(30 days from) December 22,  
1986.

No. 3240.

Published: December 15, 22, 1986.

The undersigned, being first duly sworn on oath deposes and says:  
That she is the Principal Clerk of The Olympian, which is a legal newspaper  
printed and published in the City of Olympia, Thurston County,  
Washington; of general circulation in said City, County and State; that

the Application to Appropriate Public Waters

\_\_\_\_\_ in the case of

Prairie Ridge Water Co./Robert Drohman of which  
the attached is a printed copy, was published in said newspaper:

On the 15th day of December 1986;

the 22nd day of December 1986;

the \_\_\_\_\_ day of \_\_\_\_\_ 19\_\_;

the \_\_\_\_\_ day of \_\_\_\_\_ 19\_\_;

the \_\_\_\_\_ day of \_\_\_\_\_ 19\_\_;

the \_\_\_\_\_ day of \_\_\_\_\_ 19\_\_;

the \_\_\_\_\_ day of \_\_\_\_\_ 19\_\_;

the \_\_\_\_\_ day of \_\_\_\_\_ 19\_\_;

the \_\_\_\_\_ day of \_\_\_\_\_ 19\_\_;

the \_\_\_\_\_ day of \_\_\_\_\_ 19\_\_;

that the said newspaper was generally circulated during all of said time, and  
has been published Saturday excepted, for more than six months prior to the  
date of the publication of this legal document, and that said notice was  
published in the newspaper proper, and not in supplement form.

The amount of fee charged for this publication is \$ 23.00  
and that said sum has been paid in full.

Martha M Russell

Principal Clerk

Subscribed and sworn to me this 22nd  
day of December 1986.

Maile K. Farmer

Notary Public in and for the State of Washington,  
residing at Olympia, Thurston County, Washington.

The Olympian has been appointed as a legal  
newspaper by order of the Superior Court of the  
State of Washington for Thurston County, dated  
July 10, 1941, in the county in which said  
newspaper is published in accordance with RCW  
65.16.020 and RCW 65.16.040.

NOTE - The above affidavit and fee is in compliance with RCW 65.16.030 and Sec. 3, Chapter 34, Laws of 1977.

STATEMENT FOR LEGAL NOTICE PUBLISHED

**The Olympian**

P.O. BOX 407

OLYMPIA, WASHINGTON 98507

**754-5401**

Prairie Ridge Water Co.  
c/o Robert Dohman  
4411 Marvin Road NE  
Olympia, WA 98506

**PLEASE RETURN ONE COPY WITH REMITTANCE**

- ☐ Summons by Publication  
☐ Notice to Creditors NUMBER G 2-27015  
☐ Notice of Private Sale of Real Estate  
☐ Notice of Hearing Final Report and Petition for Distribution

Estate of \_\_\_\_\_, deceased

- ☐ Notice \_\_\_\_\_  
☐ Notice of ground water right application No. \_\_\_\_\_  
☒ Application to Appropriate Public Waters

Dates of publication December 15, 22, 1986

\_\_\_\_\_ lines published 2 times

AMOUNT DUE (Net) \$ 23.00 PAID

**No 3240 PLEASE REMIT WITHIN 15 DAYS**

December 4, 1986

Priairie Ridge Water Co.  
c/o Mr. Robert Drohman  
4411 Marvin Road NE  
Olympia, WA 98506

Dear Mr. Drohman:

Ground Water Application No. G 2-27015

Your application for the appropriation of water has been assigned the above-referenced number. Please refer to this number in future correspondence.


Enclosed is a notice of your application which must be published once a week for two consecutive weeks in a qualified legal newspaper of general circulation in Thurston County. A list of these newspapers in your county is enclosed.

Please read the notice carefully to make sure it is correct. Should you find an error, please return the notice to our office for correction.

You should contact a newspaper regarding publication of your notice as soon as possible. When you receive the affidavit of publication from the newspaper, please forward it promptly to us. This will shorten the time for further processing of your application.

Since your application is for service of more than one residence, it is considered a public water supply. Public water supply systems are required to be approved by either the local health department or the Department of Social and Health Services (DSHS) depending upon system size. If you have not already done so, we suggest that you contact either your local health department or DSHS, Water Supply and Waste Section, Mail Stop LD-11, Olympia, Washington 98504 for further information.

Sincerely,

  
Walter Bergstrom  
Resource Management  
SOUTHWEST REGIONAL OFFICE

WB:rt

Enclosure

cc: DSHS, Water Supply and Waste Section

ECY 040-1-104  
Rev. 11-82



## NOTICE OF APPLICATION TO APPROPRIATE PUBLIC WATERS

## TAKE NOTICE:

That Prairie Ridge Water Company C/O Robert R. Drohman  
 of Olympia, Washington on November 17, 1986 under  
 Application No. G2-27015 filed for permit to appropriate public waters, subject to existing rights,  
 from two wells  
 in the amount of 175 gallons per minute year round as needed  
 each year, for Community domestic supply.

The source of the proposed appropriation is located within NW $\frac{1}{4}$  NE $\frac{1}{4}$   
 of Section 34, Township 19 N., Range 1 W. W.M., in Thurston County.

*Protests or objections to approval of this application must include a detailed statement of the basis for objections; protests must be accompanied by a two dollar (\$2.00) recording fee and filed with the Department of Ecology, at the address shown below, within thirty (30) days from*

*(Last date of publication to be entered above by publisher)*

DEPARTMENT OF ECOLOGY  
 Southwest Regional Office  
 7272 Greenwater Lane MS/LU 11  
 Olympia, WA 98504

S

NOTICE